

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2014





Version number 2

Revision: 26.11.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Polysol RAN**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**  
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Application of the substance / the mixture**  
Dry-cleaning  
Pre-brushing agent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SEITZ GmbH  
Gutenbergstrasse 3  
65830 Kriftel / Germany  
Tel. + 49(0) 6192-9948-0  
Fax + 49(0) 6192-9948-99  
msds@seitz24.com  
www.seitz24.com
- **Further information obtainable from:** msds@seitz24.com
- **1.4 Emergency telephone number:**  
GIZ-Nord, Göttingen, Germany + 49 551 19240  
(Member of EPECS Network)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
- 
 GHS05 corrosion  
 Eye Dam. 1          H318 Causes serious eye damage.
- 
 GHS07  
 Skin Irrit. 2          H315 Causes skin irritation.
- Aquatic Chronic 3    H412 Harmful to aquatic life with long lasting effects.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
- 
 Xi; Irritant  
 R41: Risk of serious damage to eyes.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**
- 
 GHS05
- **Signal word** Danger

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version number 2

Revision: 26.11.2014

**Trade name: Polysol RAN**

(Contd. of page 1)

- **Hazard-determining components of labelling:**  
isotridecanol, ethoxylated  
alcohols, C12-14, ethoxylated, sulfates, sodium salts  
docusate sodium
- **Hazard statements**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P280 Wear protective gloves / eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P332+P313 If skin irritation occurs: Get medical advice/attention.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

##### · **Dangerous components:**

CAS: 69011-36-5 Polymer	isotridecanol, ethoxylated Xi R41 ----- Eye Dam. 1, H318; Aquatic Chronic 3, H412	< 20%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-xxxx	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	< 15%
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	alcohols, C12-14, ethoxylated, sulfates, sodium salts Xi R38-41 ----- Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	< 15%
EC number: 927-285-2 Reg.nr.: 01-2119480162-45-xxxx	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics Xn R65 R66 ----- Asp. Tox. 1, H304	< 10%
CAS: 577-11-7 EINECS: 209-406-4 Reg.nr.: 01-2119491296-29-xxxx	docusate sodium Xi R38-41 ----- Eye Dam. 1, H318; Skin Irrit. 2, H315	< 10%

##### · **Regulation (EC) No 648/2004 - Labelling for contents**

non-ionic surfactants, aromatic hydrocarbons, anionic surfactants	15 - 30%
aliphatic hydrocarbons	5 - 15%
perfumes (D-LIMONENE)	

- **Additional information** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Immediately remove any clothing soiled by the product.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version number 2

Revision: 26.11.2014

**Trade name: Polysol RAN**

(Contd. of page 2)

- **After inhalation** Supply fresh air; consult doctor in case of problems.
- **After skin contact**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** No further relevant information available.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Avoid contact with skin and eyes.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Avoid contact with eyes and skin.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version number 2

Revision: 26.11.2014

Trade name: **Polysol RAN**

(Contd. of page 3)

- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
  - Protect from heat and direct sunlight.
  - Store in cool, dry conditions in well sealed receptacles.
  - Protect from frost.
  - Time of storage: max. 24 month
- **7.3 Specific end use(s)** Dry-cleaning

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

<b>34590-94-8 (2-methoxymethylethoxy)propanol</b>	
WEL	Long-term value: 308 mg/m <sup>3</sup> , 50 ppm
Sk	

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / vapours / aerosols.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

- **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

Combination filter A-P2

- **Protection of hands:**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4$  mm

- **Eye protection:** Tightly sealed goggles.

- **Body protection:** Protective work clothing

GB

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version number 2

Revision: 26.11.2014

Trade name: **Polysol RAN**

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

<ul style="list-style-type: none"> <li>· <b>9.1 Information on basic physical and chemical properties</b></li> <li>· <b>General Information</b></li> <li>· <b>Appearance:</b> <ul style="list-style-type: none"> <li>Form: Fluid</li> <li>Colour: Light yellow</li> </ul> </li> <li>· <b>Odour:</b> Product specific</li> <li>· <b>Odour threshold:</b> No further relevant information available.</li> </ul>	
· <b>pH-value (100 g/l) at 20 °C:</b>	~ 7.7
<ul style="list-style-type: none"> <li>· <b>Change in condition</b> <ul style="list-style-type: none"> <li>Melting point/Melting range: not applicable</li> <li>Boiling point/Boiling range: undetermined</li> </ul> </li> <li>· <b>Flash point:</b> not applicable</li> <li>· <b>Flammability (solid, gaseous)</b> No further relevant information available.</li> <li>· <b>Ignition temperature:</b> No further relevant information available.</li> <li>· <b>Decomposition temperature:</b> No further relevant information available.</li> <li>· <b>Self-igniting:</b> Product is not selfigniting.</li> <li>· <b>Danger of explosion:</b> Product does not present an explosion hazard.</li> <li>· <b>Explosion limits:</b> <ul style="list-style-type: none"> <li>Lower: No further relevant information available.</li> <li>Upper: No further relevant information available.</li> </ul> </li> <li>· <b>Oxidising properties</b> No further relevant information available.</li> <li>· <b>Vapour pressure:</b> No further relevant information available.</li> <li>· <b>Density at 20 °C:</b> ~ 0.98 g/cm<sup>3</sup> (ISO 2811)</li> <li>· <b>Relative density</b> No further relevant information available.</li> <li>· <b>Vapour density</b> No further relevant information available.</li> <li>· <b>Evaporation rate</b> No further relevant information available.</li> <li>· <b>Solubility in / Miscibility with Water:</b> Fully miscible</li> <li>· <b>Segregation coefficient (n-octanol/water):</b> No further relevant information available.</li> <li>· <b>Viscosity:</b> <ul style="list-style-type: none"> <li>dynamic: No further relevant information available.</li> <li>kinematic: No further relevant information available.</li> </ul> </li> <li>· <b>9.2 Other information</b> No further relevant information available.</li> </ul>	

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**  
Stable under normal ambient conditions.  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Strong oxidizing agents
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

GB

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version number 2

Revision: 26.11.2014

Trade name: **Polysol RAN**

(Contd. of page 5)

### SECTION 11: Toxicological information

#### · 11.1 Information on toxicological effects

##### · Acute toxicity:

##### · LD/LC50 values relevant for classification:

#### 69011-36-5 isotridecanol, ethoxylated

Oral	LD50	> 2000 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)

#### 34590-94-8 (2-methoxymethylethoxy)propanol

Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	9500 mg/kg (rabbit)
Inhalative	LC50 (7h)	> 500 mg/l (rat)

#### 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral	LD50	4100 mg/kg (rat) (OECD 401)
Dermal	LD50	> 2000 mg/kg (rat) (OECD 402)

#### Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics

Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	> 5000 mg/kg (rabbit)
Inhalative	LC50	> 5 mg/l (rat)

#### 577-11-7 docusate sodium

Oral	LD50	> 3000 mg/kg (rat)
Dermal	LD50	> 10000 mg/kg (rabbit)

##### · Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitisation:** No sensitising effects known.
- **Repeated dose toxicity** No further relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
No further relevant information available.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

#### 69011-36-5 isotridecanol, ethoxylated

EC50 (48h)	> 1 - 10 mg/l (Aquatic invertebrates) (Daphnia magna)
EC50 (72h)	> 1 - 10 mg/l (Aquatic plants, algae) (Desmodesmus subspicatus)
LC50 (96h)	> 1 - 10 mg/l (Fish) (OECD 203)
NOEC	0.37 mg/l (Aquatic invertebrates) (21 d, Daphnia magna)

#### 34590-94-8 (2-methoxymethylethoxy)propanol

EC50	> 969 mg/l (Aquatic plants, algae) (96 h; Scenedesmus capricornutum) 1919 mg/l (Aquatic invertebrates) (48 h; Daphnia)
LC50	> 10000 mg/l (Fish) (96 h; Pimephales promelas)

#### 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

EC50	27 mg/l (Aquatic plants, algae) (72h; Desmodesmus subspicatus; OECD 201) 7.2 mg/l (Aquatic invertebrates) (48 h; Daphnia magna; OECD 202)
LC50	7.1 mg/l (Fish) (96 h; Brachydanio rerio; OECD 203)

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version number 2

Revision: 26.11.2014

Trade name: **Polysol RAN**

(Contd. of page 6)

NOEC	0.93 mg/l (Aquatic plants, algae) (72h; Desmodesmus subspicatus; OECD 201)
<b>Hydrocarbons, C11-C14, isoalkanes, cyclics, &lt; 2% aromatics</b>	
EC50 (48h)	> 1000 mg/l (Aquatic invertebrates)
EC50 (72h)	> 1000 mg/l (Aquatic plants, algae)
LC50 (96h)	> 1000 mg/l (Fish)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations.
- **Waste disposal key:**  
The assignment of waste codes in accordance with European Waste Catalogue (EWC) is trade- and process-specific and has to be made in compliance with national and local regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

· <b>14.1 UN-Number</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.2 UN proper shipping name</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.3 Transport hazard class(es)</b> · <b>ADR, ADN, IMDG, IATA</b> · <b>Class</b>	Void
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b>	Not applicable.
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.

(Contd. on page 8)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.11.2014

Version number 2

Revision: 26.11.2014

Trade name: **Polysol RAN**

(Contd. of page 7)

· UN "Model Regulation": -

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Other regulations, limitations and prohibitive regulations**
- **Other information:** Product is for professional use only.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

- **\* Data compared to the previous version altered.**